

- McPherson independent front suspension and five leaf springs rear suspension to making high carrying capacity.
- Modular space design maximizing the utilization of limited space and meeting the different demand for driving, seating and loading
- •High efficiency engine, more powerful and more fuel saving.

VC5 7-11 Seats Minibus



EXTERIOR









INTERIOR

















SPECIFICATIONS

Model				VC5
Fuel type			Gasoline	
Driving			4×2	2, rear drive
DIMENSION & V	VEIGH			
Overall length		(mm)		4330
Overall width		(mm)		1650
Overall height		(mm)		1915
Wheel base		(mm)		2850
Tread, front/ rear		(mm)		1390/1410
Ground clearance		(mm)		160
Curb vehicle weight		(kg)	1175	
Gross vehicle weight		(kg)	1865	
Seating capacity		(persons)	7-11	
Fuel tank capacity		(L)	45	
SYSTEM				
Gearbox				Max
Suspension		Front	McPherson independent suspension	
		Rear	Parallel leaf spring and absorber	
Brake		Front/ rear	Disc/ Disc	
Min. turning radius		(m)	5.2	
Max		(Km/ h)	130	
Tires			175/ 70R14LT	
ENGINE				
Technology source		SUZUKI		MITSUBISHI
Туре		4 - cylinder in line, 4 - stroke, DOHC, 16 - valves		4-cylinder in line, aluminum engine
Displacement	(cc)	1300		1500
Max	(hp)	86 / 6000		110
Max	(N.m)	108/ 4000 - 4400		138
Compression ratio		9.8: 1		10:5:1
Emission		Euro 4		Euro 4

EQUIPMENT

AM/FM radio & USB port for MP3 player	
Engine tachometer	
Front disc & rear drum brake	
Front and rear A/C	
ABS + EBD	
Airbags for driver & co-driver	
Power steering (Electric)	
Back Radar	
Steering column lock	
Rear high brake light	
Power front door windows	
Central door lock	
Body-colored rear view mirror	
Body-colored front/rear bumper	
Front fog lamp	
Alloy wheels	
Steel wheels with covers	

Note: ■: Standard □: Optional -: Not available



Professional Vehicle Exporter Since 1999

ZHANJIANG KINGSTAR VEHICLE CO., LTD.

- http://kingstar.com.cn
- info@kingstar.com.cn
- **2/F,BUILDING A,ZIWEI GARDEN,NO.41 HAIBIN Road 3,ZHANJIANG,GUANGDONG,CHINA**